



AARHUS UNIVERSITET


# Software Engineering and Architecture

Multi Dimensional Variance

*Ultra flexible software*

# Goal and means to an end?

- Patterns:
  - *Goal in itself or just the means to an end?*
- Patterns are interesting as *means* to achieve some specific quality in our software:
  - elements of **Reusable** ...
- A key aspect is handling **variance**





- Factoring out in roles and delegating to objects that play roles is a very strong technique to handle **multiple dimensions of variance!**
  - that is – a piece of software that must handle different types of context
    - work on both MariaDB and MongoDB database
    - work in both testing and production environment
    - work both with real hardware attached or simulated environment
    - work with variations for four different customers
- *Here all types of combinations are viable !*


# New Requirements

- Alphatown county wants the display to show *parking end time* instead of minutes bought!
  - I.e “Parking ends at 15:47”



# Combinatorial explosion!

- All these requirements pose a *combinatorial explosion* of variants 😞



There are  $3 \cdot 2 \cdot 2 = 12$  combinations. This may be doubled if we include overriding weekend day algorithm !



AARHUS UNIVERSITET

# Restating the Options




# Parametric Variance

AARHUS UNIVERSITET

- Variant handling by **if (param)** or **#ifdef's** is well known, but the code simply bloats with conditional statements.
- Example: GNU C compiler has a single statement that includes 41 macro expansions !!!
- I wonder what that code does???
- `#ifdef ( MSDOS && ORACLE || MYSQL && ...)`
- `#ifdef ( DEBUG )`
  - quickly you loose control of what is going on...

# Polymorphic Variance

- Inheritance dies **miserably** facing this challenge!
- Just look at names!
- Making new variants is difficult.
- And code reuse is very difficult 😞







# Masking the problem

- By **combining** parametric and polymorphic variance you may mask the problem somewhat.
- I.e. handle receipt type by inheritance, and the rest by pumping the code with if's...
- but ... it is still an inferior way to handle multi-dimensional variance...





# Compositional software

- The way forward is:
  - ***Compositional software***
    - Highly configurable and flexible software!
- ③ Consider what behavior that may vary
- ① Express variable behavior as a responsibility clearly defined by an interface
- ② Delegate to object serving the responsibility to perform behavior

- ③ Encapsulate what varies
  - The display output must exist in variants
- ① Program to an interface
  - <<interface>> DisplayStrategy
    - public int calculateOutput( int minutes );
- ② Favor object composition



```
public int readDisplay() {  
    return displayStrategy.calculateOutput(timeBought);  
}
```

- [Demo]





# Compositional Software



# Compositional Software

- The paystation has become a *team leader*, delegating jobs to specialist workers:

```
public int readDisplay() {  
    return displayStrategy.calculateOutput(timeBought);  
}
```

```
    timeBought = rateStrategy.calculateTime(insertedSoFar);
```

```
public Receipt buy() {  
    Receipt r = factory.createReceipt(timeBought);  
    reset();  
    return r;  
}
```

- Note! No if's – no bloat – easy to read code leading to fewer bugs!



# Compositional Software

AARHUS UNIVERSITET

- Telling the team leader which persons will serve the roles:
- The factory interface

```
public interface PayStationFactory {
    /** Create an instance of the rate strategy to use. */
    public RateStrategy createRateStrategy();

    /** Create an instance of the receipt.
     * @param the number of minutes parking time the receipt is valid for. */
    public Receipt createReceipt( int parkingTime );

    /** Create instance of DisplayStrategy */
    public DisplayStrategy createDisplayStrategy();
}
```



# Compositional Software

- Creating a pay station:
  - create the factory
  - create the pay station, giving it access to the factory

```
private PayStation paystation = new PayStationImpl(new AlphaTownFactory() );
```



- ... and a factory:

```
public class BetaTownFactory implements PayStationFactory {
    public RateStrategy createRateStrategy() {
        return new ProgressiveRateStrategy();
    }
    public Receipt createReceipt( int parkingTime ) {
        return new StandardReceipt(parkingTime, true);
    }
    public DisplayStrategy createDisplayStrategy() {
        return new ValueDisplayStrategy();
    }
}
```

- **Benefits**

- The variability points are independent

- we introduced new display strategy – but this did not alter any of the existing strategies !

```
public int readDisplay() {  
    return displayStrategy.calculateOutput(timeBought) ;  
}
```

- Once the variability point has been introduced we can introduce as many new types of variations as we like – only by *adding* new classes

- any price model; new receipt types; new display output...

- **Open-closed principle in action...**

# Open/Closed principle

**Open** for extension

**Closed** for modification



# Open/Closed principle


- **Open** for extension
  - I can make my own feature additions/changes by extending the software
- **Closed** for modification
  - But I do not rewrite any existing code
    - Or ask Oracle, Google, NetFlix, Apache, to rewrite code to handle my extensions
- (i.e. no soldering of wires in my TV set)



- **Benefits**
  - Any combination you want, we are able to “mix”
  - Nonsense combinations can be delimited
    - abstract factory is the place to “mix” the cocktails
  - Code readability
    - every aspect of the configuration is clearly defined in a single place
      - configuration mixing in the abstract factory
      - orchestration in the PlayStation impl
      - each variation type in its own implementing class

- Liabilities
  - Each dimension of variability (price model, receipt type, display output, etc) is *really* independent – so
  - we cannot feed information from one to the other directly ☹️
  - If they require information from each other
    - Then of course we must provide the means to do so
      - Mediator pattern, memento pattern, observer pattern, others
    - Like we do in mandatory project
      - StandardGame calls strategy with 'this' ala a Role interface
      - StandardGame calls mutators on strategy

- Liabilities
- The number of classes in action ☹️
- On the other hand:
  - careful naming makes it possible to quickly identify which class to change...
- And use packages to group cohesive modules





- Liabilities
  - Actually I have a combinatorial explosion of factories! I need a factory for each and every combination of delegates that I have
  - Exercise: How can I avoid this explosion?





# Another Example

SkyCave



# Configuration System

- Six roles of variability
  - Storage system
  - Network connector
  - Authentication
  - External services
  - Name Service
  - Logging System
- AbsFactory reads a *CPF property file*
  - *Impl class*
  - *Network host and port*

```
# Setting everything for socket based connection on
# LocalHost with (mostly) test doubles. Also acts as base CPF
# for remote configurations of daemon.

# === Configure for socket communication on server side
SKYCAVE_SERVERREQUESTHANDLER_IMPLEMENTATION = frds.broker.ipc.socket.SocketServerRequestHandler

# === Configure for server to run on localhost
SKYCAVE_APPSERVER = localhost:37123

# === Inject test doubles for all delegates (Note IP endpoints are dummies)

# = Subscription service
SKYCAVE_SUBSCRIPTIONSERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.doubles.TestStubSubscriptionService
SKYCAVE_SUBSCRIPTIONSERVICE_SERVER_ADDRESS = notused:42042

# = Cave storage
SKYCAVE_CAVESTORAGE_CONNECTOR_IMPLEMENTATION = cloud.cave.doubles.FakeCaveStorage
SKYCAVE_CAVESTORAGE_SERVER_ADDRESS = notused:27017

# = Quote service
SKYCAVE_QUOTESERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.doubles.TestStubQuoteService
SKYCAVE_QUOTESERVICE_SERVER_ADDRESS = notused:6777

# = Player Name Service - defaults to the simple in memory one which
# operates correctly in a single server/single threaded non-loaded setting
SKYCAVE_PLAYERNAMESERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.server.InMemoryNameService
SKYCAVE_PLAYERNAMESERVICE_SERVER_ADDRESS = notused:11211

# = Inspector implementation - defaults to the simplest in memory one
SKYCAVE_INSPECTORSERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.server.SimpleInspector
SKYCAVE_INSPECTORSERVICE_SERVER_ADDRESS = notused:0
```

# Configuration System

- Six roles of variability
  - Storage system (5)
    - FakeObject, MongoDB, Redis, Memcached, MariaDB
  - Network connector (3)
    - Sockets, HTTP, RabbitMQ
  - Authentication (3)
    - TestStub, NullObject, RealService
  - External services (2)
    - TestStub, RealService
  - Name Service (2)
    - In memory, Memcached
  - Logging System (2)
    - In memory, Memcached

```
# Setting everything for socket based connection on
# LocalHost with (mostly) test doubles. Also acts as base CFF
# for remote configurations of daemon.

# --- Configure for socket communication on server side
SKYCAVE_SERVER#QUESTHANDLER_IMPLEMENTATION = frds.broker.ipc.socket.SocketServerRequestHandler

# --- Configure for server to run on localhost
SKYCAVE_APPSERVER = localhost:37123

# --- Inject test doubles for all delegates (Note IP endpoints are dummies)

# - Subscription service
SKYCAVE_SUBSCRIPTIONSERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.doubles.TestStubSubscriptionService
SKYCAVE_SUBSCRIPTIONSERVICE_SERVER_ADDRESS = notused:42842

# - Cave storage
SKYCAVE_CAVESTORAGE_CONNECTOR_IMPLEMENTATION = cloud.cave.doubles.FakeCaveStorage
SKYCAVE_CAVESTORAGE_SERVER_ADDRESS = notused:27017

# - Quote service
SKYCAVE_QUOTESERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.doubles.TestStubQuoteService
SKYCAVE_QUOTESERVICE_SERVER_ADDRESS = notused:6777

# - Player Name Service - defaults to the simple in memory one which
# operates correctly in a single server/single threaded non-loaded setting
SKYCAVE_PLAYERNAMESERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.server.InMemoryNameService
SKYCAVE_PLAYERNAMESERVICE_SERVER_ADDRESS = notused:11211

# - Inspector implementation - defaults to the simplest in memory one
SKYCAVE_INSPECTORSERVICE_CONNECTOR_IMPLEMENTATION = cloud.cave.server.SimpleInspector
SKYCAVE_INSPECTORSERVICE_SERVER_ADDRESS = notused:0
```

SkyCave can exist in  $5 * 3 * 3 * 2 * 2 * 2$   
**= 360 variants**



# And No Code Clutter

AARHUS UNIVERSITET

```
// Fetch the player object from the name service
Player player = objectManager.getPlayerNameService()
    .getPlayerId();

SubscriptionService subscriptionService = objectManager.getSubscriptionService();

// Fetch the subscription for the given loginName
SubscriptionRecord subscription = null;
String errorMsg = null;
try {
    subscription = subscriptionService.lookup(loginName, password);
} catch (CaveIPCException e) {
    errorMsg="Lookup failed on subscription service due to IPC exception:"+e.getMessage();
    logger.error(errorMsg);
}
```

```
QuoteRecord quoteRecord =
    objectManager.getQuoteService().getQuote(quoteIndex);
String quote = convertToStringFormat(quoteRecord);
return quote;
```

```
public void addMessage(String message) {
    MessageRecord msg = new MessageRecord(message, getID(), getName());
    storage.addMessage(getPosition(), msg);
}
```

- *An object manager keeps track of all delegates 😊*



***Handle multi-dimensional variance by compositional software designs !***