

Experiments on a DELL 7000

IT-C Course on Advanced Algorithms

Gerth Stølting Brodal




Department of Computer Science
University of Aarhus

gerth@brics.dk

Cache Behavior


```
for (i=0, j=0; i<r; i++, j=(j+d) % n) X[j]++
```



The running time for different values of d , plotted as $(\log_2 d, \text{seconds})$ on a DELL 7000 with 128MB of RAM, $n = 64\text{MB}$, $r = 2^{23}$, and X storing chars.

32 Byte Cache Lines


```
for (i=0, j=0; i<r; i++, j=(j+d) % n) X[j]++
```



The running time for small values of d , plotted as $(d, \text{seconds})$ on a DELL 7000 with 128MB of RAM, $n = 64\text{MB}$, $r = 2^{23}$, and X storing chars.

256 KB Cache


```
for (i=0, j=0; i<r; i++, j=(j+d) % n) X[j]++
```



The running time for different values of n , plotted as $(\log_2 n, \text{seconds})$ on a DELL 7000 with 128MB of RAM, $d = 16$, $r = 2^{24}$, and X storing chars.

128 MB DRAM

```
for (i=0, j=0; i<r; i++, j=(j+d) % n) X[j]++
```




The running time for large values of n , plotted as $(\log_2 n, \log(\text{seconds}))$ on a DELL 7000 with 128MB of RAM, $d = 1024$, $r = 2^{19}$, and X storing chars.

Experiments on a DELL 7000 - p.5/6

4096 Bytes Block Size

```
for (i=0, j=0; i<r; i++, j=(j+d) % n) X[j]++
```



The running time for medium values of d , plotted as $(\log_2 d, \log(\text{seconds}))$ on a DELL 7000 with 128MB of RAM, $n = 128\text{MB}$, $r = 2^{19}$, and X storing chars.

Experiments on a DELL 7000 - p.6/6